

| Nr. | Analiza Diagnostikuese | Pa sistem referimi | Pa sistem referimi | Me sistem referimi | Me sistem referimi |
|-----|--|--------------------|--------------------|--------------------|--------------------|
| | | I Pasiguruar | I siguruar | I pasiguruar | I siguruar |
| 1 | Vizita te mjeku specialist në poliklinikë | 1500 | 1500 | 100 | 0 |
| 2 | Kryerja e injeksioneve (muskulare, venoze, | 150 | 150 | 0 | 0 |
| 3 | Vizitë te mjeku specialist në spitalet rajonale | 2000 | 2000 | 100 | 0 |
| 4 | Vizitë te mjeku specialist në spitalet bashkiake | | | | |
| 5 | Rentgenoskopi Toraksi | 500 | 500 | 100 | 0 |
| 6 | Rentgenoskopi Stomaku | 500 | 500 | 100 | 0 |
| 7 | Rentgenografi Stomaku seriog | 500 | 500 | 100 | 0 |
| 8 | Rentgenografi gastro - intestinale | 500 | 500 | 100 | 0 |
| 9 | Rentgenografi gastro - intestinale seriografi | 500 | 500 | 100 | 0 |
| 10 | Rentgenografi vertebre 1 projeksion | 300 | 300 | 100 | 0 |
| 11 | Rentgenografi e gjithë kolonës vertebrale | 700 | 700 | 100 | 0 |
| 12 | Rentgenografi e kokës | 500 | 500 | 100 | 0 |
| 13 | Radiografi Panoramex | 800 | 800 | 100 | 0 |
| 14 | Irigoskopi + grafi | 500 | 500 | 100 | 0 |
| 15 | Urografi intraven.kontrast 6096 | 800 | 800 | 100 | 0 |
| 16 | Urografi intraven kontrast 759a | 1000 | 1000 | 200 | 0 |
| 17 | Cistografia miksionale | | | | |
| 18 | Rentg. të ndryshëm 1 projeksion | 300 | 300 | 100 | 0 |
| 19 | Kolecistografia intravenoze | | | | |
| 20 | Kolecistografia orale | | | | |
| 21 | Tomografi (3 shtresa) | 1500 | 1500 | 200 | 0 |
| 22 | Ekografi | 1000 | 1000 | 200 | 0 |
| 23 | Ekografi të ndryshme me print | 1500 | 1500 | 200 | 0 |
| 24 | Radiografi Thoraxi | 500 | 500 | 100 | 0 |
| 25 | Hysterosalpinografi | 1500 | 1500 | 200 | 0 |
| 26 | Kolposkopi | | | | |
| 27 | çdo seancë fizioterapie | 500 | 500 | 500 | 0 |
| 28 | Mamografia | 1000 | 1000 | 0 | 0 |
| 29 | Fibrobronkoskopi | 4500 | 4500 | 2000 | 0 |
| 30 | Fibrogastroskopi | 4500 | 4500 | 2000 | 0 |
| 31 | Fibrokolonoskopi | 4500 | 4500 | 2000 | 0 |
| 32 | Rektomanoskopi | | | | |
| 33 | Audiograma | | | | |
| 34 | Vestibulometria | | | | |
| 35 | Timpanometria | | | | |
| 36 | Elektronistumografia | | | | |
| 37 | Lavazh I veshit | 400 | 400 | 100 | 0 |
| 38 | Fusha Vizive | 1000 | 1000 | 200 | 0 |

| | | | | | |
|----|--|--------|--------|--------|---|
| 39 | Fusha okuli | 400 | 400 | 100 | 0 |
| 40 | Angioflurosinoqrafia | 400 | 400 | 100 | 0 |
| 41 | Heqje molusku | 200 | 200 | 100 | 0 |
| 42 | Pterigion | 800 | 800 | 100 | 0 |
| 43 | Chalazion | 600 | 600 | 100 | 0 |
| 44 | Shërbimi I mikrokirurgjisë | | | | |
| 45 | Heqje e lipomave në pjesë të ndryshme të trupit | | | | |
| 46 | Kryerje cirkumcizio | | | | |
| 47 | Artocentreze | | | | |
| 48 | Shpim I bulave të veshit | | | | |
| 49 | Kosto totale e abortit (përfshihen analizat dhe | 5000 | 5000 | 1000 | 0 |
| 50 | Provat e prognostikimit | | | | |
| 51 | Sklerotapi 1 seancë | | | | |
| 52 | Flebectomi | | | | |
| 53 | Uric acid | 214.3 | 214.3 | 214.3 | 0 |
| 54 | Creatinine | 214.3 | 214.3 | 214.3 | 0 |
| 55 | Urea | 214.3 | 214.3 | 214.3 | 0 |
| 56 | Bicarbonates | 214.3 | 214.3 | 214.3 | 0 |
| 57 | Total proteins | 214.3 | 214.3 | 214.3 | 0 |
| 58 | Bilirubine total | 214.3 | 214.3 | 214.3 | 0 |
| 59 | Bilirubine direct | 214.3 | 214.3 | 214.3 | 0 |
| 60 | Glucose | 214.3 | 214.3 | 214.3 | 0 |
| 61 | Calcium Total | 178.6 | 178.6 | 178.6 | 0 |
| 62 | iron serum | 214.3 | 214.3 | 214.3 | 0 |
| 63 | Reduced serum ions screening (Na+K+Cl) | 267.9 | 267.9 | 267.9 | 0 |
| 64 | Magnesium plasma | 178.6 | 178.6 | 178.6 | 0 |
| 65 | Cholesterol Total | 276.8 | 276.8 | 276.8 | 0 |
| 66 | HDL cholesterol | 259 | 259 | 259 | 0 |
| 67 | LDL Cholesterol | 259 | 259 | 259 | 0 |
| 68 | Triglycerids | 232.2 | 232.2 | 232.2 | 0 |
| 69 | Lipids abnormality screening include Serum aspect Total | 571.5 | 571.5 | 571.5 | 0 |
| 70 | Albumin serum | 205.4 | 205.4 | 205.4 | 0 |
| 71 | Quantitative hemoglobin electrophoresis | 571.5 | 571.5 | 571.5 | 0 |
| 72 | Proteins electrophoresis with percentages and Total proteins | 705.5 | 705.5 | 705.5 | 0 |
| 73 | Glycated Haemoglobin (HbA1c) | 500.1 | 500.1 | 500.1 | 0 |
| 74 | (agglutination) | 348.3 | 348.3 | 348.3 | 0 |
| 75 | method | 357.2 | 357.2 | 357.2 | 0 |
| 76 | daignostic test | 1562.8 | 1562.8 | 1562.8 | 0 |
| 77 | method | 1053.7 | 1053.7 | 1053.7 | 0 |
| 78 | N-terminal pro b-type Natriuretic Peptide (NT-proBNP or BNP) | 1830.7 | 1830.7 | 1830.7 | 0 |
| 79 | Lactate | 294.7 | 294.7 | 294.7 | 0 |
| 80 | 1H3CO Hb) | 616.2 | 616.2 | 616.2 | 0 |

| | | | | | |
|-----|---|--------|--------|--------|---|
| 81 | Blood gas full (blood gas + Na K Ca-i) | 1232.2 | 1232.2 | 1232.2 | 0 |
| 82 | Amylase Total | 169.7 | 169.7 | 169.7 | 0 |
| 83 | Amylase pancreatic | 2464.7 | 2464.7 | 2464.7 | 0 |
| 84 | Creatine kinase (CK) | 214.3 | 214.3 | 214.3 | 0 |
| 85 | Creatine kinase MB fraction | 437.6 | 437.6 | 437.6 | 0 |
| 86 | Gamma Glutamyl transferase (GGT) | 285.8 | 285.8 | 285.8 | 0 |
| 87 | Glucose 6 Phosphate dehydrogenase (G6PD) | 794.8 | 794.8 | 794.8 | 0 |
| 88 | Lactates dehydrogenase | 294.7 | 294.7 | 294.7 | 0 |
| 89 | Alkaline phosphatase | 214.3 | 214.3 | 214.3 | 0 |
| 90 | Lipase | 214.3 | 214.3 | 214.3 | 0 |
| 91 | Cholinesterase | 419.7 | 419.7 | 419.7 | 0 |
| 92 | Alanine amino transferase (A.I.T) | 214.3 | 214.3 | 214.3 | 0 |
| 93 | Aspartate amino transferase (AST) | 214.3 | 214.3 | 214.3 | 0 |
| 94 | Beta HCG quantitative | 1071.6 | 1071.6 | 1071.6 | 0 |
| 95 | Cortisol | 1071.6 | 1071.6 | 1071.6 | 0 |
| 96 | Dehydroepiandrosterone (DHEAS) | 1071.6 | 1071.6 | 1071.6 | 0 |
| 97 | Ferritin | 1071.6 | 1071.6 | 1071.6 | 0 |
| 98 | Follicle stimulating hormone FSH | 1071.6 | 1071.6 | 1071.6 | 0 |
| 99 | Luteinizing hormone (L.H) | 1071.6 | 1071.6 | 1071.6 | 0 |
| 100 | Progesterone | 839.4 | 839.4 | 839.4 | 0 |
| 101 | Prolactin | 1071.6 | 1071.6 | 1071.6 | 0 |
| 102 | Testosterone | 1071.6 | 1071.6 | 1071.6 | 0 |
| 103 | Thyreo Stimulating hormon ultra sensitive | 1482.4 | 1482.4 | 1482.4 | 0 |
| 104 | Free Triiodothyronine (FT3) | 1071.6 | 1071.6 | 1071.6 | 0 |
| 105 | Free Thyroxine (FT4) | 1071.6 | 1071.6 | 1071.6 | 0 |
| 106 | Urinalysis Complete | 142.9 | 142.9 | 142.9 | 0 |
| 107 | Urinalysis sediment | 250 | 250 | 250 | 0 |
| 108 | Microalbumin quantitative | 732.3 | 732.3 | 732.3 | 0 |
| 109 | Total proteins 24 hours | 178.6 | 178.6 | 178.6 | 0 |
| 110 | Bences Jones proteins urine | 3080.9 | 3080.9 | 3080.9 | 0 |
| 111 | Glucose CSF | 187.5 | 187.5 | 187.5 | 0 |
| 112 | Total proteins CSF | 366.1 | 366.1 | 366.1 | 0 |
| 113 | Occult blood in stool | 250 | 250 | 250 | 0 |
| 114 | Creatinine clearance measurement | 455.4 | 455.4 | 455.4 | 0 |
| 115 | Induced hyperglycemia by oral route or OGTT | 571.5 | 571.5 | 571.5 | 0 |
| 116 | | | | | |
| 117 | Hematocrit | | | | |
| 118 | MCV MCIL MCHC RDW WBC Platelets approx DIFF | 357.2 | 357.2 | 357.2 | 0 |
| 119 | Hemoglobin, Hematocrit MCV MCIL MCHC RDW WBC Neutrophils, Lymphocytes Monocytes Eosinophils Basophils Platelets, PDW | 357.2 | 357.2 | 357.2 | 0 |
| 120 | Microscopic examination of Blood film (WBC differential RBC | 625.1 | 625.1 | 625.1 | 0 |
| 121 | morphology) | | | | |
| 122 | Erythrocyte Sedimentation Rate (ESR) | 89.3 | 89.3 | 89.3 | 0 |

| | | | | | |
|-----|---|---------|---------|---------|---|
| 123 | Reticulocytes count | 187.5 | 187.5 | 187.5 | 0 |
| 124 | Bone marrow Cytomorphology | 1732.4 | 1732.4 | 1732.4 | 0 |
| 125 | Cytomorphology-CSF | 910.9 | 910.9 | 910.9 | 0 |
| 126 | Cytomorphology ascite/biological liquids/pleural articulation | 741.2 | 741.2 | 741.2 | 0 |
| 127 | etc | | | | |
| 128 | Hemostasis - Coagulation | | | | |
| 129 | Eosinophils nasal smear | 267.9 | 267.9 | 267.9 | 0 |
| 130 | D-dimer qualitative plasma | 401.9 | 401.9 | 401.9 | 0 |
| 131 | D-dimer quantitative | 1196.6 | 1196.6 | 1196.6 | 0 |
| 132 | Fibrinogen Activity plasma | 267.9 | 267.9 | 267.9 | 0 |
| 133 | Coagulation factor VIII (Anti-hemophilic A factor) Activity assay, Palsma | 1339.5 | 1339.5 | 1339.5 | 0 |
| 134 | Coagulation factor IX (Anti-hemophilic B factor) Activity assay | 1339.5 | 1339.5 | 1339.5 | 0 |
| 135 | Prothrombine time (Quick time) | 303.6 | 303.6 | 303.6 | 0 |
| 136 | Prothrombine time (Quick time) and INR | 267.9 | 267.9 | 267.9 | 0 |
| 137 | Activated Partial Thromboplastin Time (aPTT) | 267.9 | 267.9 | 267.9 | 0 |
| 138 | Bleeding time, Ivy 3 points Method | 410.8 | 410.8 | 410.8 | 0 |
| 139 | Thrombin time (TT) | 187.5 | 187.5 | 187.5 | 0 |
| 140 | ABO Grouping and KhD, Blood | 267.9 | 267.9 | 267.9 | 0 |
| 141 | Rhesus and Kell phenotyping, Blood | 2375.5 | 2375.5 | 2375.5 | 0 |
| 142 | Direct antiglobulin test (Coomb test) | 500.1 | 500.1 | 500.1 | 0 |
| 143 | Crossmatch test (Compatibility test) | 13493.2 | 13493.2 | 13493.2 | 0 |
| 144 | Antistreptolysin test (ASLO) semi-quantitative | 392.9 | 392.9 | 392.9 | 0 |
| 145 | Anti-hepatitis A antibody (HAV-Ab) IgM | 1071.6 | 1071.6 | 1071.6 | 0 |
| 146 | Anti-hepatitis A antibody (HAV-Ab) IgG | 1071.6 | 1071.6 | 1071.6 | 0 |
| 147 | Hepatitis B surface antigen (HBSAG) RDT | 830.5 | 830.5 | 830.5 | 0 |
| 148 | Automated | 1035.9 | 1035.9 | 1035.9 | 0 |
| 149 | 1 Hepatitis B surface antibody (anti-HBs) | 1035.9 | 1035.9 | 1035.9 | 0 |
| 150 | IgG) | 1080.5 | 1080.5 | 1080.5 | 0 |
| 151 | Anti-hepatitis B core (anti-HBc) IgM | 1080.5 | 1080.5 | 1080.5 | 0 |
| 152 | 1 lepatitis B e-antigen (HBeAG) | 1009.1 | 1009.1 | 1009.1 | 0 |
| 153 | Anti-hepatitis B e antibody (Anti-HBe) | 964.4 | 964.4 | 964.4 | 0 |
| 154 | HIV 1&2 Antibody RDT | 250 | 250 | 250 | 0 |
| 155 | ELFA etc | 1794.9 | 1794.9 | 1794.9 | 0 |
| 156 | Rubella Antibodies IgM | 1259.1 | 1259.1 | 1259.1 | 0 |
| 157 | Rubella Antibodies IgG | 1259.1 | 1259.1 | 1259.1 | 0 |
| 158 | CMV IgM | 1339.5 | 1339.5 | 1339.5 | 0 |
| 159 | CMV IgG | 1393.1 | 1393.1 | 1393.1 | 0 |
| 160 | Toxoplasma IgM antibodies | 1071.6 | 1071.6 | 1071.6 | 0 |
| 161 | Toxoplasma IgG antibodies | 1071.6 | 1071.6 | 1071.6 | 0 |
| 162 | Complement C3 serum | 366.1 | 366.1 | 366.1 | 0 |
| 163 | Complement C4 serum | 366.1 | 366.1 | 366.1 | 0 |
| 164 | Lymphocytes T CD-4 count | 1446.7 | 1446.7 | 1446.7 | 0 |
| 165 | Leukemia/Lymphoma immunophenotyping (per CD or marker) | 1071.6 | 1071.6 | 1071.6 | 0 |

| | | | | | |
|-----|--|---------|---------|---------|---|
| 166 | HLA typing (1 loci) per individual | 7010.1 | 7010.1 | 7010.1 | 0 |
| 167 | HLA typing (3 loci) per individual | 21030.2 | 21030.2 | 21030.2 | 0 |
| 168 | HLA Cross-Match donor/recipient | 13493.2 | 13493.2 | 13493.2 | 0 |
| 169 | Rheumatoid factor quantitative | 312.6 | 312.6 | 312.6 | 0 |
| 170 | Rheumatoid factor semi-quantitative | 705.5 | 705.5 | 705.5 | 0 |
| 171 | Anti-nuclear antibodies (ANA) | 857.3 | 857.3 | 857.3 | 0 |
| 172 | Antimitochondrial Antibodies (AMA) | 1000.2 | 1000.2 | 1000.2 | 0 |
| 173 | Native double-stranded DNA Antibody | 1339.5 | 1339.5 | 1339.5 | 0 |
| 174 | Anti Extractable Nuclear Antigen (ENA) antibody screening | 1339.5 | 1339.5 | 1339.5 | 0 |
| 175 | Anti-neutrophil Cytoplasmic Antibody with Anti Proteinase-3(PR3) specificity | 1250.2 | 1250.2 | 1250.2 | 0 |
| 176 | anti-myeloperoxidase (MPO-ANCA) specificity | 1866.4 | 1866.4 | 1866.4 | 0 |
| 177 | Anti tissue transglutaminase antibodies IgA | 1000.2 | 1000.2 | 1000.2 | 0 |
| 178 | Anti thyroperoxidase (TPO) antibody IgG | 1071.6 | 1071.6 | 1071.6 | 0 |
| 179 | Anti-Cyclic Citrullinated Peptide 2 (CCP2) antibody IgG | 1250.2 | 1250.2 | 1250.2 | 0 |
| 180 | Alpha-feto protein (AFP) quantitation | 1071.6 | 1071.6 | 1071.6 | 0 |
| 181 | Carcino-embryonic antigen (CEA) | 1071.6 | 1071.6 | 1071.6 | 0 |
| 182 | Free Prostate specific antigen (IPSA) | 785.8 | 785.8 | 785.8 | 0 |
| 183 | Prostate specific antigen (PSA) | 768 | 768 | 768 | 0 |
| 184 | Cancer antigen 125 (CA-125) | 1071.6 | 1071.6 | 1071.6 | 0 |
| 185 | Cancer antigen 19-9 | 1071.6 | 1071.6 | 1071.6 | 0 |
| 186 | Cancer antigen 15-3 | 1071.6 | 1071.6 | 1071.6 | 0 |
| 187 | Beta-2 microglobulin | 803.7 | 803.7 | 803.7 | 0 |
| 188 | hCG) | 759.1 | 759.1 | 759.1 | 0 |
| 189 | Urine culture | 571.5 | 571.5 | 571.5 | 0 |
| 190 | Feces culture | 562.6 | 562.6 | 562.6 | 0 |
| 191 | Throat swab culture | 571.5 | 571.5 | 571.5 | 0 |
| 192 | vaginal secretions culture | 714.4 | 714.4 | 714.4 | 0 |
| 193 | Vaginal discharge wet mount | 357.2 | 357.2 | 357.2 | 0 |
| 194 | Blood culture aerobic | 1071.6 | 1071.6 | 1071.6 | 0 |
| 195 | Urethral secretions culture | 562.6 | 562.6 | 562.6 | 0 |
| 196 | Urethral discharge wet mount+Gram | 562.6 | 562.6 | 562.6 | 0 |
| 197 | Ear secretions culture | 357.2 | 357.2 | 357.2 | 0 |
| 198 | Nasal secretions culture | 214.3 | 214.3 | 214.3 | 0 |
| 199 | Conjunctival secretions culture | 509 | 509 | 509 | 0 |
| 200 | Purulent collection culture | 509 | 509 | 509 | 0 |
| 201 | Bacterial Wound Culture | 509 | 509 | 509 | 0 |
| 202 | CSF culture | 643 | 643 | 643 | 0 |
| 203 | CSF microscopy/cell counting | 616.2 | 616.2 | 616.2 | 0 |
| 204 | Antimicrobial susceptibility testing (AST) | 339.3 | 339.3 | 339.3 | 0 |
| 205 | Anaerobic pathogens culture | 2089.6 | 2089.6 | 2089.6 | 0 |
| 206 | Parasitic examination (Ova & Parasites) Stool | 446.5 | 446.5 | 446.5 | 0 |
| 207 | clippings | 428.6 | 428.6 | 428.6 | 0 |
| 208 | Fungal Culture vaginal secretions | 509 | 509 | 509 | 0 |

| | | | | | |
|-----|--|----------|----------|----------|---|
| 209 | FHepatitis C Viral Lond | 13805.8 | 13805.8 | 13805.8 | 0 |
| 210 | Hepatitis B Viral Lond | 14430.9 | 14430.9 | 14430.9 | 0 |
| 211 | Alcohol/volatiles serum medical | 437.6 | 437.6 | 437.6 | 0 |
| 212 | Phenobarbital | 1330.6 | 1330.6 | 1330.6 | 0 |
| 213 | Digoxin | 1018 | 1018 | 1018 | 0 |
| 214 | Tacrolimus | 3438.1 | 3438.1 | 3438.1 | 0 |
| 215 | Complete histopathological examination (Hematoxylin Eosin staining)1-3 blocks | 4304.3 | 4304.3 | 4304.3 | 0 |
| 216 | Complete histopathological examination (Hematoxylin Eosin staining) 4-6 blocks | 3697 | 3697 | 3697 | 0 |
| 217 | Cytochemistry tests >= 4 markers | 4313.2 | 4313.2 | 4313.2 | 0 |
| 218 | 1 Coloring method PAS Periodic Acid Schiff | | | | |
| 219 | 2 Trichromic method with Light Green | | | | |
| 220 | 3 Coloring method of Ziehl Neelsen for Bacteria | | | | |
| 221 | 4 Coloring method (Giemsa for Helicobacter Pylori) | | | | |
| 222 | Immunohistochemical Tests 3 antibodies | 3,956.00 | 3,956.00 | 3,956.00 | 0 |
| 223 | 1 Confirm anti-Vimentin (Clone V9) | | | | |
| 224 | 2 Anti-Pan Keratin (AE1/AE3/PCK26) Primary Antibody | | | | |
| 225 | 3 Confirm CD45 (LCA) | | | | |
| 226 | Cytodiagnostic sputum by paraffin inclusions (1 | 3313 | 3313 | 3313 | 0 |
| 227 | Cervical-vaginal cytology by Papanicolaou Sme | 1330.6 | 1330.6 | 1330.6 | 0 |